**Peter Övgård**
GAFFER



# Lighting and equipment

Experienced with many types of lighting, from classic film lights to modern LED.

## Light sources

Tungsten · HMI · Xenon · LED

## Equipment

### ARRI


Fresnel 650


T2



ARRILITE 750


M18


SkyPanel S60-C


SkyPanel X21


Orbiter


L-Series

| | |
|---|---|
| TUNGSTEN | Fresnel 150 W / 300 W / 650 W / 1000 W / 2000 W<br>T1 / T2 / T5 / T12 / T24<br>ARRILITE 600 / 750 / 800 / 2000 (open face) |
| HMI | M8 / M18 / M40 / M90<br>ARRIMAX 18/12<br>Compact / Studio Fresnel 575 W – 18 kW<br>ARRISUN 1200 W / 1800 W / 40/25 / 6000 W<br>Pocket PAR 125 / 200<br>ARRI X 12 (1200 W) |
| LED | SkyPanel S30-C / S60-C / S120-C / S360-C<br>SkyPanel X21<br>Orbiter<br>L5-C / L7-C (LED-fresnel) |

### Aputure


LS 300d II


LS 600d Pro


LS 1200d Pro


STORM 1000c


MC


| | |
|---|---|
| LED | LS 300d II / 300x<br>LS 600d / 600d Pro / 600x Pro / 600c Pro<br>LS 1200d Pro<br>STORM 80c / 1000c / 1200x<br>MC |

### Nanlux / Nanlite


Evoke 1200


Dyno


Forza 720


PavoSlim

| | |
|---|---|
| LED | Evoke 900C / 1200 / 1200B / 2400B / 5C<br>Dyno 650C / 1200C<br>Forza 60 / 720<br>PavoSlim 120C / 240CL |

### Astera


Helios Tube


NYX Bulb


PixelBrick

| | |
|---|---|
| LED | Titan Tube / Helios Tube / Hyperion Tube<br>NYX Bulb / Luna Bulb<br>PixelBrick |

### LiteGear


LiteMat 2L


LiteMat Spectrum 2


LiteTile Spectrum 4

| | |
|---|---|
| LED | LiteMat 1 / 2 / 2L<br>LiteMat Spectrum 2 / 2L / 4<br>LiteTile Spectrum 4 |

### Aladdin

| | |
|---|---|
| LED | Bi-Flex 1 / 2 / 4 / M3 / M7<br>All-In 1<br>Fabric-Lite 50 / 100 / 200 / 350<br>Eye-Lite / A-Lite |

### Kino Flo

| | |
|---|---|
| FLUORESCENT | 4ft 4-bank / 4ft 2-bank / 2ft 4-bank / 2ft 1-bank / 6ft 4-bank<br>Mini Flo<br>Diva-Lite 200 / 400<br>Flathead 80 |
| LED | Celeb 200 / 400<br>Celeb Select 30<br>FreeStyle 21 / 30 / 31 / 44 |

### K5600

| | |
|---|---|
| HMI | Alpha 18 / Alpha 4K/2.5 / Alpha 1600<br>Joker-Bug 400 / 800 / 1600 |

### DeSisti

| | |
|---|---|
| TUNGSTEN | Leonardo 1 kW / 2 kW / 5 kW / 10 kW / 20 kW |

### Filmgear



Faceted PAR

| | |
|---|---|
| TUNGSTEN | Fresnel 1 kW – 20 kW |
| HMI | Daylight Fresnel 575 W – 18 kW<br>Faceted PAR 1.8 kW – 18 kW<br>Power Beam 4/2.5 kW / 18/12 kW |

### Special and effects lights




T-Light Pro

| | |
|---|---|
| XENON | SoftSun 100 kW<br>Hungaro Flash T-Light Pro 85 kW RDM |
| EFFECTS | Lightning Strikes 75 kW |

### Other

| | |
|---|---|
| LED | Creamsource Vortex8<br>Digital Sputnik<br>Rosco DMG Dash<br>Carpetlight CL42<br>BB&S Beam / Pipeline 1 ft / 2 ft / 4 ft<br>Lightstar 1000 W / 4 / 6 / 12<br>Airlite 1000 W (balloon light) |
| TUNGSTEN | Dedolight 150 W / 200 W / 400 W<br>Brute 4 / 6 / 8 / 9 / 12 / 16 / 48 / 64<br>Space Light 6000 W<br>ETC 750 W spot<br>PAR cans 650 W / 1000 W |
| FLUORESCENT | Osram Lumilux 18 W / 36 W |

### Mirrors



The Lightbridge

| | |
|---|---|
| | The Lightbridge 7 / 15 / 25 / 50 / 100 cm<br>Eversirius 45 cm |

## Lighting control

- DMX and wireless CRMX
- Lighting control with the Blackout app

## Planning

- Lighting plots and diagrams in OmniGraffle

Product images: courtesy of each manufacturer.